

**WELDY**<sup>®</sup>  
made by Leister



# Applications with PIC, PRO, PLUS

## Hot air tool PIC

- Air flow adjustment via a two-step switch

## Hot air tool PRO

- Electronic temperature adjustment
- Air flow adjustment via a two-step switch

## Multi-functional hot air tool PLUS

- Stand-by for eco drive
- 14 multilingual function programmes for define applications and plastic weldings



Repair welding  
PLUS



Pendulum welding  
PLUS



Forming  
PIC PRO PLUS




Soldering of copper tubes  
PRO PLUS



Shrinking  
PIC PRO PLUS



Edge banding  
PLUS



Shrinking of tubes  
PLUS



Loosening of screws  
PIC PRO PLUS



Paint stripping  
PIC PRO PLUS




Remove of stickers and films  
PIC PRO PLUS

**WELDY PLUS**

**WELDY PRO**

**WELDY PIC**



- ❶ Tool stand
- ❷ Ergonomical distribution of weights
- ❸ Non-slip handle
- ❹ Two-step switch
- ❺ Potentiometer for infinitely temperature adjustment
- ❻ Terminal display with memory function
- ❼ Multilingual function programmes
- ❽ Temperature and airflow adjustment
- ❾ Stand-by for eco-drive
- ❿

**WELDY PIC Set**

**WELDY PRO Set**

**WELDY PLUS Set**





Technical data		PIC	PRO	PLUS
Voltage	V	120	120	120
Power consumption	W	1200	1400	1500
Temperature range	°F	930	180-1020	180-1200
Air flow	cfm	8.8/14.0	8.8/16.0	7.0/17.5
Static pressure max.	Pa	1300	1400	1400
Weight with cord	lb	1.63	1.72	1.85
LCD-Display				●
Electronics: Flicker conformity		●	●	●
Stand-by for Eco drive (lowest setting)				●
Memory-function				●
14 Function programmes				●
Air flow adjustment: Two-step switch		●	●	
Terminal with menu control				●
Heating element: Protected				●
<b>Function programmes</b>	<i>Temperature °F / Air flow</i>			
1-FREE SETTING	180-1200 / 1-5			●
2-FREE SETTING	180-1200 / 1-5			●
SHRINKING	840 / 5			●
FORMING	930 / 4			●
SOLDERING COPPER	1200 / 3			●
DRYING PAINT	1200 / 5			●
PAINT STRIPPING	800 / 5			●
WELDING PPEPDM	540 / 5			●
WELDING HD-PE	570 / 3			●
WELDING PP	610 / 3			●
WELDING PVC-U	640 / 3			●
WELDING ABS	680 / 3			●
WELDING PC	700 / 3			●
WELDING FLOOR-FOIL	840 / 3			●
<b>Accessories</b>	<i>Order no.</i>			
① Glass protection nozzle	119.341	●	●	●
② Wide slot nozzle	119.342	●	●	●
③ Reducer nozzle Ø 20mm	119.343	-	●	●
④ Reflector nozzle	119.344	●	●	●
⑤ Welding nozzle	119.345	-	-	●
⑥ Overlap welding nozzle	119.346	-	-	●
⑦ Solder sleeve reflector	119.347	-	-	●
⑧ Pressure roller	119.348	-	-	●
<b>WELDY Set</b>		<b>PIC</b>	<b>PRO</b>	<b>PLUS</b>
① Glass protection nozzle		-	●	-
② Wide slot nozzle		●	-	-
③ Reducer nozzle Ø 20mm		-	●	-
④ Reflector nozzle		●	●	●
⑤ Welding nozzle		-	-	●
⑥ Overlap welding nozzle		-	-	●
⑦ Solder sleeve reflector		-	-	●
⑧ Pressure roller		-	-	●

Technical data and specifications are subject to change without prior notice!

SEV, CCA certified

#### ISO 9001:2000

#### UL-Listed

#### CE-Conform



The modern and ergonomical WELDY line is available at:

Leister Technologies LLC  
1253 Hamilton Parkway  
Itasca, IL 60143/USA

phone +1 (1) 630 760 1000  
fax +1 (1) 630 760 1001  
e-mail: sales@leisterusa.com

Leister Process Technologies, EcoTool Division,  
Galileo-Strasse 10, 6056 Kaegiswil/Switzerland

phone +41 41 662 75 88, fax +41 41 662 74 16  
info@leister.com, www.weldy.com